Aid To Capacity Evaluation (ACE) – Administration

e of patient:	Date:	
rd observations that support your so ate your score for each domain with	core in each domain, including exact responses of the contract response of the contract res	the patient.
	problem em are you having now? What problem is you in the hospital? Do you have (name	□ Yes □ Unsure □ No
	treatment for [your problem]?	□ Yes □ Unsure □ No
	re to proposed treatment (if any) y other [treatments]? What other have [alternative treatment]?	YesUnsurNoNoneDisclose
(including withholding or wi	f refusing proposed treatment thdrawing proposed treatment) fuse [proposed treatment]? Can we stop	Unsui
accepting proposed treatme (Sample questions: What could	happen to you if you have [proposed atment] cause problems/side effects?	□ Yes □ Unsu
refusing proposed treatment withdrawing proposed treat (Sample questions: What could treatment]? Could you get sick		

(Note: for psychological (Note)	or questions 7a and 7l	o, a yes answern	icans the perso	ii s decisioii is a	inected by de		
7a. Th (S ac	e person's decision ample questions: Catcept/refuse treatmout think you're a bayou deserve to be servations:	an you help me u ent? Do you feel d person? Do you treated?)	nderstand wh that you're be I have any ho	ing punished? pe for the futu	ded to	Yes Unsure No	
(S. ac ye	e person's decision ample questions: Cancept/refuse treatmoners bu? Do you trust your buservations:	nn you help me u ent? Do you think ur doctor/nurse?	nderstand who anyone is try	ring to hurt/ha		Yes Unsure No	
Overa	Overall Impression						
efinitely	capable 🗆 Prob	ably capable	□ Probably	incapable	□ Definite	ly incapable	
Comm (for exa		chiatric assessmo		<u> </u>			
Comm (for exa	ents: ample: need for psy	chiatric assessmo		<u> </u>		<u> </u>	
Comm (for exa or cons	ents: ample: need for psy ultation with family	chiatric assessme	ent, further dis	sclosure and d	discussion w	ith patient	
The initi probably assessm capable, ability to area wo may clain Never be	and ACE assessment is a incapable, consideral ent once these factors then take further step understand the propuld be helpful. Similarify some areas of uncapable as a finding of incapadecision is based on a	the first step in the ple treatable or rev shave been addrest to clarify the situesed treatment, the ly, consultation will ertainty.	capacity assess ersible causes o sed. If the ACE lation. For examen a further interth family, cultur interpretation o	sment process. If incapacity. Referesult is probal mple, if you are erview which speal and religious of domain 7a an	If the ACE is epeat the cap bly incapable unsure abou ecifically focu figure and/ord 7b. Even in the E	definitely or or probably the person's ses on this r psychiatrist, f you are sure	
The initi probably assessm capable, ability to area wo may clail Never by that the assessm	and ACE assessment is a incapable, consideral ent once these factors then take further step understand the propuld be helpful. Similarify some areas of uncapable as a finding of incapadecision is based on a	chiatric assessment the first step in the pole treatable or reverse to clarify the situation with the posed treatment, the posed treatment of the posed treatme	capacity assess ersible causes of sed. If the ACE Justion. For exailen a further intericth family, cultur interpretation of ssion, we sugge	sment process. If incapacity. Referesult is probal mple, if you are erview which speal and religious of domain 7a an	If the ACE is epeat the cap bly incapable unsure abou ecifically focu figure and/ord 7b. Even in the E	definitely or pacity or probably the person's ses on this r psychiatrist, f you are sure	

INSTRUCTIONS FOR SCORING

- Domains 1-4 evaluate whether the person understands their current medical problem, the
 proposed treatment and other options (including withholding or withdrawing treatment). Domains
 5-6 evaluate whether the person appreciates the consequences of their decision. (See sample
 questions above.
- 2. For domains **1-6**, if the person responds appropriately to open-ended questions, score YES. If they need repeated prompting by closed-ended questions, sore UNSURE. If they cannot respond appropriately despite repeated prompting, score NO.
- 3. For domain 7, if the person appears depressed or psychotic, then decide if their decision is being affected by the depression or psychosis. For domain 7a, if the person appears depressed, determine if the decision is affected by depression. Look for the cognitive signs of depression such as hopelessness, worthlessness, guilt, and punishment. (See sample questions above.) For domain 7b, if the person may be psychotic, determine if the decision is affected by delusion/psychosis. (See sample questions above.)
- 4. Record observations which support your score in each domain, including exact responses of the patient.
- 5. Remember that people are presumed capable. Therefore, for your overall impression, if you are uncertain, then err on the side of calling a person capable.

University of Toronto Joint centre for Bioethics Aid to capacity Evaluation (ACE) Disclaimer: The information contained in this document is for general information only and is not intended for commercial use. It is not legal advice and is not a substitute for the advice of a qualified practitioner in your home jurisdiction. There are no warranties or representations of any kind as to this document's accuracy or that of the materials contained in it. The members of the Joint Centre assume no liability or responsibility for any errors or omissions in this document's contents.

Joint Centre for Bioethics – Aid To Capacity Evaluation (ACE) http://www.utoronto.ca/jcb/disclaimers/ace.htm (Reprinted with permission)